

# NVIZN®

IDENTIFICATION DISPLAYS




## LED PROGRAMMABLE IDENTIFICATION DISPLAY

**5 YEAR  
LIMITED  
WARRANTY**

**VISIBLE UP TO  
500ft/152m!**

**VID-1C12-24V-x** (x = LED color)



VID-1C12-24V-G (shown above)

**FULLY FUNCTIONAL**  
all letters A-Z!

Conveniently changes the  
digits (0 to 9) or characters  
(all letters A-Z), using  
magnetic switches



### FEATURES & BENEFITS:

**RS232**  
Communications Options

IP RATED  
IP66/IP67

- ▶ **1 Character 12" LED, Programmable**
- ▶ **5 Year Limited Warranty**
- ▶ **Advanced Technology for *Maximum Visibility* & 24 Hour use!**
  - ▶ Automatically dims for Night use & avoiding glare. **Brightens** for Daytime use.
  - ▶ **Locking Technology:** Once programmed, do not need reprogramming upon shut down/startup.
  - ▶ **Secure Protection Technology:** Ensures safe-site operation by preventing VIDs from displaying incorrect characters.
- ▶ **Built to Survive Extreme Environments:**
  - ▶ Black Aerospace Grade Aluminum - Super sealed
  - ▶ Advanced Temperature Controlled LEDS - *Shock* and *Vibration* Resistant
  - ▶ Impact Resistance & Withstands Power-Hose Cleaning
- ▶ **Reverse Polarity Protected:**
  - ▶ Built-in Circuit Protection for over-voltage, voltage surges or spikes
- ▶ **Lightweight and Easy to Install**
- ▶ **Operating temperatures ranging from -50°C (-58°F) to +60°C (140°F)**

### FORM & FIT COMPATIBLE TO:



LED Reflective  
Identification Displays  
**VID-BL1C12-24V-BKY**  
(Reflective Fluorescent  
Yellow Green)



LED Reflective  
Identification Displays  
**VID-BL1C12-24V-BKW**  
(Reflective White)



LED Reflective  
Identification Displays  
**VID-BL1C12-24V-ABK**  
(Reflective Fluorescent  
Yellow)

\* Also Available in Characters

Other LED Colors Available  
Upon Request!

### ID DISPLAY SPECIFICATIONS CHART:

Available in 110VAC & 220VAC upon request

Part Number	Character Height	Weight	Frame Dimensions		Volts (VDC)	Amps	Watts
			Height	Width			
VID-1C12-24V (1 character)	12" 304.8 (mm)	11 LBS 4.9 (kg)	13.65" 346.7 (mm)	17.25" 438.15 (mm)	12	1.0	60
					24	0.5	12

★ **NVIZN Signs field proven for over 12 years!**

\*\*LED Identification Displays are intended for use on various types of equipment.  
Hardware needed for mounting purposes is at the discretion of the user.

### Recommended Mounting Options:

**VID Brackets, Pre-Drilled**



VID-S10-2

\*Other size brackets  
available upon request

**Power Converter**



VID-110-240V PS  
(110-240VAC)

**Power Cord Splitters**  
(to combine multiple signs)



VID-PC-EXT12-2Y VID-PC-EXT12-3Y

**Power Cords**



VID-PC-EXT-50-1 VID-PC-EXT-50-2

DS-NVIZN-VID-1C12-24V-RevD  
Release Date: 3/06/2018

### ADDRESS:

2115 W. Mountain View Rd.  
Phoenix, AZ 85021 USA

2677 192nd St. #107  
Surrey, BC V3Z 3X1 CANADA

**For More Information Call or Visit Us Online Today!**

**USA**

**T: 602.424.2500**

**F: 602.424.9777**

**E: Sales@DriverIndustrial.com**

**CAN**

**T: 604.560.5080**

**F: 604.560.5090**

**E: SalesCanada@SafetyWhips.com**